falch®
world of water jetting

pointspeed regulation 5
pointspeed regulation 30

... www.falch.com



world of water jetting

pointspeed regulation 5







pointspeed regulation 30













*pictured devices are subject to change. nonliability for picture true delivery.

falch®
world of water jetting

pointspeed regulation 5

	15 kW, 4/2	40 KW, 4/2
	200 - 500 bar	200 - 500 bar
	15 - 40 l/min	15 - 40 l/min
	max 90° C	max 90° C
	self drive	self drive
	15 kW, 500 - 4000 rpm	40 kW, 500 - 4000 rpm
	030 usgal/min	055 usgal/min
	1/4" inner thread	1/4" inner thread
	1,1 kg	1,1 kg
	150 x 69 mm	150 x 69 mm
falch n°	z0000776	z0000546

pointspeed regulation 30

	40 kW, 4/2	125 KW, 4/2	125 kW, 6/2
	500 - 3000 bar	500 - 3000 bar	500 - 3000 bar
	6 - 30 l/min	10 - 50 l/min	10 - 50 l/min
	max 70° C	max 70° C	max 70° C
	self drive	self drive	self drive
	40 kW, 500 - 4000 rpm	125 kW, 500 - 4000 rpm	125 kW, 500 - 4000 rpm
	019 usgal/min	018 usgal/min	019 usgal/min
	9/16" unf-lh inner thread	9/16" unf-lh inner thread	9/16" unf-lh inner thread
	2,3 kg	2,3 kg	2,3 kg
	200 x 76 mm	200 x 76 mm	200 x 76 mm
falch n°	z0000582	z0000573	z0000564

spare parts

z0000602

e1210235

spare parts

z0000234

e1210336

e1210334

falch gmbh
headquarter
street of water jetting 1
89143 blaubeuren-seissen (germany)

☎ +49 7344 9244-0
🖷 +49 7344 9244-4090
✉ info@falch.com
🖳 www.falch.com

w0400201 / 16.12.20