world of water jetting

surface worker 250

flexible light weight



... ➡ www.falch.com

world of water jetting

application examples

surface worker 250 - fast - flexible - comfortable - safe

easy to learn!

falch® world of water jetting

jetting ceilings

fits through doors

standard accessories

*pictures may contain optional accessories

jetting walls

x axis inclined by 20°

e-control unit 3-b

z0000865 transport wheels

*pictures may contain optional accessories

jetting floors

small rotation beam



speed regulation



rotation kit with vacuum

*pictures may contain optional accessories

one extension kit for 3 jetting modes





standard elements

extension z0000680

z0000680 extension kit



accessories / **multi kit 100** (only some examples)*

*falch's **multi kit 100** is a very large modular system, with endless possibilities for every water jetting project with its own challenges. call falch for more information!

self-drive, 3000 bar, 50 l/min
z0000835

e-drive, 1500 bar, 80 l/min
e-drive
z0000824

e-drive, 3000 bar, 50 l/min
e-drive
z0000691

a-drive, 3000 bar, 50 l/min
a-drive
z0000817

e-drive, 3000 bar, 50 l/min
swiveling 20°
e-drive
z0000818

e-drive, 3000 bar, 50 l/min
e-drive
z0000843

holder for multi kit 100
z0000811

extension beams, 4 widths
e1250031

corner connector
e1230615

slider with e-drive
e-drive
z0000759

carrier for z0000707
e0710040

gearbox
e0490020

custom made

example with 4 wheels



example with 4 m beam



example for working on bridges



example with little space




example for two-sided blasting

surface worker 250

https://www.falch.com/de/videos.html

	surface worker 250
	max 3000 bar
N	max 600 N
	feed rate: 0.8 – 8 m/min
	400 V / 50 Hz / 16 A, 2,5 m CEE 3L + N + PE, 6h, IP 67
	100 %
	24 months
	ca. 200 kg, incl. standard equipment
	2000 x 2100 x 1200 mm
	operation temperature: 0° C – +40° C
n°	z0000798

benefits

200 – 600%
faster than hand lance

50 – 70%
less labour costs

extremely safe working

more profit

max flexibility

services:

w0400325/08-02-2019

falch gmbh
headquarter
street of water jetting 1
89143 blaubeuren-seissen (germany)
☎ +49 7344 9244-0
🖷 +49 7344 9244-4090
✉ info@falch.com
🖳 www.falch.com